

KITCHENCABINET TV





AVAILABLE FOR PURCHASE WORLDWIDE

The production of AVEL integrated Cabinet Door TVs for the kitchen began in 2013, and now our company has become the world leader in this market.

Thanks to our honest and open business conduct, as well as the high quality of the product, we have established an extensive partner network that distributes AVEL products worldwide. The result of our work is more than 11 thousand televisions sold over the years.

We are constantly improving our TVs considering incoming ideas, suggestions and the market trends. This allows us to produce a very special yet a modern product that meets the customer's expectations.



MANUFACTURED AT OUR OWN PRODUCTION IN CHINA



All AVEL TVs are manufactured on our own assembly lines in China using the most modern components. We carefully test and assemble by hand all our models. With the strict quality control and use of advanced technologies we produce the best products for our customers.


Production capacity was increased twice in 2017 to fulfill the growing demand of our clients. It is the best indication of the positive consumer and marketing feedback and our product demand trend.



EASY TO INSTALL, CONVENIENT TO USE


AVEL Kitchen TVs are compatible with the most popular lifting systems from Kessebohmer, Blum and Hafele – 3 world's leading cabinet hardware vendors. These strong and reliable mounts can support the weight of the TV and guarantee the durability of the structure.

The hinges ensure a soft and smooth ride during opening and closing.



The "Flap" type of lifting mechanism is the standard solution for your kitchen. The TV rises like a kitchen cabinet door, giving you access to the space behind it. Easy installation and familiar design make this mounting option very popular.

The "Slide" type of lifting mechanism is a convenient and safe way to mount the TV. When you open the device, it slides up, freeing access to the shelves. Meanwhile, the screen remains available for viewing. This type of mount may not be suitable for you if your TV is mounted quite high.



Kessebohmer, Blum and Hafele lift systems are not included in the delivery package.

You can purchase these lifting systems from local distributors worldwide. Information about the compatibility of lifting mechanisms with AVEL TVs is available on our website www.aviselectronics.com.







AVEL[®] / 2023





AVEL built-in TVs are specifically designed for the real kitchen environment. Their main feature therefore is the front panel protection from moisture, which guarantees the TV safety when water or steam gets on it during cooking. The package includes a waterproof remote control that can be used even if your hands are wet and simply rinsed under a tap.

Another advantage of AVEL kitchen TVs is tempered glass that protects the front panel. It is durable and resistant to temperature extremes that are possible in the kitchen, and ensures complete safety of the device operation.

All 2022 AVEL kitchen TVs run on Android. This turns them into modern Smart TV multimedia devices that will give you pleasant moments of entertainment.





AVS240WS



Tempered glass

DIMENSIONS: 382x594 mm


DIMENSIONS: 455x594 mm

Smart «Android TV»



This kitchen TV is a compact model that has the same installation dimension standard as a built-in microwave oven.

AVS240KS



Digital tuner

/ Kitchen Cabinet TV

AVS245K DIMENSIONS: 455x594 mm









Wi-Fi

IPS matrix







Touch screen

Vibration speakers

Android

The AVS245K touch panel is installed in kitchen furniture and fits perfectly into a 600 mm wide cabinet. The device works on Android, representing a large tablet for the kitchen. You can easily install additional applications from the Google Play Market, thereby expanding the standard functionality of the Android AVS245K panel.



Tempered glass

AVS320KS

DIMENSIONS: 455x894 mm

AVS325KS

DIMENSIONS: 514x756 mm



This kitchen TV is installed into 900 mm extra wide cabinets.



Diagonal



Vibration speakers



This kitchen TV is installed into 762 mm (30") US standard cabinets.





DV3T2





Wi-Fi

Smart «Android TV»

Digital tuner

IPS matrix

Tempered glass








Cabinet Door TV for Kitchen	AVS245K	AVS240WS	AVS240KS	AVS320KS	AVS325KS	
Screen		23,8" (61 cm) LED LCD		32" (81 cm) LED LCD		
Resolution	1920x1080					
Contrast ratio		1 000:1 (typ.) 1 200:1 (typ.)				
Color depth		16.7M				
Brightness		250 cd/m	2	350 cd/m2 (for mirror Tvs 800 cd/m2)		
Viewing angle (goriz./ver	t.)	178°/178	8°			
Bluetooth		Availab	le .			
Product size (WxHxD)	594 x 455 x 50 mm	594 x 382 x52 mm	594 x 455 x 50 mm	894 x 455 x 54 mm	756 x 514 x 56 mm	
Product net weight	10,2 kg	8,9 kg	8,5 kg	14,7 kg	14,6 kg	
Mains Power	AC 100–240V (DC 12V/4,25A adaptor)	AC 100-240V (DC 1	2V/4.25A adaptor)	AC 100-240V (DC 24V/6A adaptor)		
Power consumption	19 W	23	W	44 W		
Processor	RK3288 Cortex-A55 up to 2.0 Ghz	RTD2843 ARM Cortex-A55 up to 1.1GHz (Quad core)				
Touch screen	Capacitive multi-touch	-				
Operating system	Android 11.0	Android TV 11.0				
Media pleer	Su	upport for video, photo, and audio files from external USB and HDD				
RAM	DDR4 2G	DDR3 1.5G				
Internal memory	16G	8G				
Analog TV tuner		Видео: PAL/SECAM/NTSC/PAL-M/PAL-N Аудио: B/G, D/K, I				
Digital TV tuner	_	DVB-T/DVB-T2/DVB-C/DVB-S/DVB-S2				
Port and connectors	Wi-Fi, SD, DC In (12V), USB, Earphone, RJ45, OTG	Wi-Fi, Composite In (AV, 3.5 mm Mini Jack), Optical fiber (Digital Audio Out), IR pass through, TV (75 Ом, DVB-T/T2/C/Analogue), TV (S2/S2X), 3xHDMI, VGA + PC Audio (Mini Jack), 2xUSB, Earphone, Component In (Y/Pb/Pr, 3.5 mm Mini Jack), CI slot (CI +), RJ45				
Speakers	2 internal vibrodynamics 10 W	2 internal vibrodynamics 5 W				
Protection class		IP65 (waterproof front panel)				
Remote control	Air mouse	Waterproof against water jets Ip66, Air mouse				
Lift systems compatibility Blum Aventos	HK top 29; HL 27/38	HK top 27; HL27/35	HK top 29; HL27/38	HK top 29; HL29/35	HK top 29; HL29/38	
Kessebohmer	FREEflap forte-F FREEslide Q3us	FREEflap forte-E FREEslide Q3us	FREEflap forte-F FREEslide Q3us, Free Fold	FREEflap forte-G FREEslide Q4us	FREEflap forte-G FREEslide Q4us	
Hafele	Free Flap 3.15 F Free up Q3us	Free Flap 3.15 E Free up Q3us	Free Flap 3.15 F Free up Q3us	Free Flap 3.15 G Free up Q4us	Free Flap 3.15 G Free up Q4us	
DTC	TOP STAY SF, SF00AH					

TV **DIMENSIONS, MM**

AVS240WS 382*594

AVS245K AVS240KS AVS320KS 455*894 AVS325KS 514*756


OVERALL DIMENSIONSAND INSTALLATION



AVEL[®] / 2023

OVERALL DIMENSIONS

AND INSTALLATION



AVS320KS is installed into 900 mm extra wide cabinets.

AVS325KS is installed into 762 mm (30") US standard cabinets.

TV INSTALLATION STEPS





Mark and drill holes on the sides of the cabinet in accordance with the Installation Instruction provided.



Install the lifting mechanisms.



Fix the counterparts of the lifting mechanism on the rear panel of the TV in accordance with the marking.



Install the TV to the lifting mechanism, adjust the TV position and the spring tension of the lifting mechanism.

NOTES



Production Site and Office in China:

506-507A, HuiGu ChuangXin Technology park, JingBei road, Shiyan town, Baoan district, Shenzhen, Guangdong, China, 518108 +86 (186) 66660854 sales@aviselectronics.com